



NOTES:

1. CLAMP AND BRACKETS SHALL BE 304 STAINLESS STEEL, 11 GAUGE (0.1196 INCHES).
2. 3/8"Ø PINCH BOLT AND NUTS SHALL BE TYPE 18-8 STAINLESS STEEL.
3. STAINLESS STEEL ADJUSTABLE CLAMPING BRACKETS SHALL BE PART NUMBER 6SS40 MANUFACTURED BY RELINER/Duran INC. OR APPROVED EQUAL.
4. PIPE BRACKETS, BOLTS, CLAMPS AND ALL OTHER APPURTENANCES SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS AND SPECIFICATIONS.
5. REFER TO VILLAGE INSIDE AND OUTSIDE DROP CONNECTION STANDARD CONSTRUCTION DETAILS FOR DROP CONNECTION INFORMATION AND PIPE BRACKET SPACING (i.e. 3'-0" MAXIMUM).
6. REFER TO VILLAGE SANITARY SEWER MANHOLE STANDARD CONSTRUCTION DETAILS FOR ADDITIONAL INFORMATION.
7. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF THE STAINLESS STEEL STRAPS TO THE VILLAGE ENGINEER FOR REVIEW AND APPROVAL..

VILLAGE OF MAMARONECK
STANDARD CONSTRUCTION DETAILS

PREPARED IN THE
OFFICE OF THE
VILLAGE ENGINEER

**SANITARY SEWER MANHOLE
DROP CONNECTION STEEL STRAPS**

DESIGNED BY: ARC, PE CHECKED BY: ARC, PE
DRAWN BY: ARC, PE VOM Sanitary Sewer Drop Connection



VILLAGE OF MAMARONECK
VILLAGE MUNICIPAL BUILDING
169 MT. PLEASANT AVENUE (3RD FLOOR)
WESTCHESTER COUNTY
VILLAGE OF MAMARONECK, NY 10543
PHONE: (914) 777-7731
FAX: (914) 777-7792

PROJECT: DETAILS
SCALE: NOT TO SCALE
DATE: 11/11/2014

SD-4E