

## **NOTES:**

- 1. UNLESS OTHERWISE NOTED, BITUMINOUS CONCRETE SHALL MEET THE SPECIFICATIONS OUTLINED IN SECTION 403 OF THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS. DATED MAY 1, 2008 WITH LATEST REVISIONS. NOTE, THIS SECTION IS NO LONGER INCLUDED IN THE NYSDOT STANDARD SPECIFICATIONS.
- 2. UNLESS OTHERWISE NOTED, SUBBASE COURSE SHALL MEET THE SPECIFICATIONS OUTLINED IN SECTION 300 OF THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, DATED MAY 1, 2008 WITH LATEST REVISIONS.
- 3. DETAIL DEPICTS COMPACTED PAVEMENT THICKNESS.
- THIS DETAIL SHALL BE COORDINATED WITH THE VILLAGE STANDARD PIPE TRENCH AND ASPHALT PAVEMENT REPLACEMENT CONSTRUCTION DETAIL AND ALL OTHER PERTINENT VILLAGE STANDARD CONSTRUCTION DETAILS.
- 5. THIS ASPHALT CONCRETE PAVEMENT SECTION APPLIES ONLY TO LOCAL (i.e. VILLAGE) ROADS. PAVEMENT REPLACEMENT, REHABILITATION, CONSTRUCTION, ETC. FOR COUNTY AND STATE ROADWAYS SHALL BE IN ACCORDANCE WITH THE STANDARDS AND SPECIFICATIONS OF THE AGENCY HAVING JURISDICTION.
- 6. IF 403 HOT MIX ASPHALT (HMA) ITEM NUMBERS ARE UNAVAILABLE FROM THE ASPHALT PLANT, NYSDOT SUPERPAVE HMA 70 OR 80 SERIES COMPACTION SHALL BE SUBSTITUTED UPON REVIEW AND APPROVAL BY THE VILLAGE ENGINEER.
- 7. HOT MIX ASPHALT (HMA) PAVEMENT SHALL BE 7" MIN. THICK, OR MATCH EXISTING HMA PAVEMENT THICKNESS, WHICHEVER IS GREATER. IF EXISTING HMA PAVEMENT IS GREATER THAN 7", THE HMA DIFFERENCE SHALL CONSIST OF HMA BASE COURSE (OR BINDER COURSE FOR SMALL QUANTITIES)
- 8. THE VILLAGE ENGINEER RESERVES THE RIGHT TO MODIFY (e.g. INCREASE THICKNESS) THE PAVEMENT SECTION DUE TO SITE CONDITIONS (e.g. UNSUITABLE/UNSTABLE SUBGRADE, HIGH GROUNDWATER, ETC.).

VILLAGE OF MAMARONECK STANDARD CONSTRUCTION DETAILS

PREPARED IN THE OFFICE OF THE VILLAGE ENGINEER

## ASPHALT CONCRETE PAVEMENT (WITHIN RIGHT-OF-WAY)

DESIGNED BY: ARC, PE CHECKED BY: ARC, PE DRAWN BY: VOM Roadway Pavement Section. ARC, PE



VILLAGE OF MAMARONECK
VILLAGE MUNICIPAL BUILDING
169 MT. PLEASANT AVENUE (3RD FLOOR)
WESTCHESTER COUNTY
VILLAGE OF MAMARONECK, NY 10543
PHONE: (914) 777-7731
FAX: (914) 777-7792

PROJECT: DETAILS
SCALE:NOT TO SCALE
DATE: 03/13/2014
REV: 09/23/2014
SD-6A